



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/779,987	02/17/2004	Ralph James Perry	NORTH-501A	8891

7590 04/06/2006

Bruce B. Brunda  
STETINA BRUNDA GARRED & BRUCKER  
Suite 250  
75 Enterprise  
Aliso Viejo, CA 92656

EXAMINER

MCCRAW, BARRY CLAYTON

ART UNIT	PAPER NUMBER
----------	--------------

3744

DATE MAILED: 04/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/779,987	<b>Applicant(s)</b> PERRY ET AL.	
	<b>Examiner</b> B. Clayton McCraw	<b>Art Unit</b> 3744	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 17 February 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-39 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-39 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>4/5/2004</u> . | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

1. Claims 1-6, 11,16, and 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797). Pool explicitly teaches a plurality of dry ice pellets surrounding the inner contents (col.3, lines 47-49; used in plastic bag, 12), an outer container (11) for disposing the inner contents and dry ice pellets therein; a barrier bag filled with dry ice pellets and wrapping the inner contents (12; col. 3, lines 47-49; and Fig. 1); a lid placed on the barrier bag over the inner contents (15); the barrier bag assumes the interior contour of the outer container (col. 4, lines 54-57); the barrier bag includes an open top extending over the height of the container (col. 5, lines 10-13); the open top of the barrier bag is folded over the inner container and secured by tape (col. 5, lines 10-15); the container made of cardboard

Art Unit: 3744

(corresponding to the claimed corrugated fiberboard; col.4, line 15); the outer container being secured by tape (col. 5, lines 13-15); a plurality of foam panels disposed in the outer container and surrounding the inner contents (13). Pool does not explicitly teach an inner container. Smith et al. teach an inner container (612) within an outer container (614) for a temperature controlled shipping apparatus. It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool with the inner container as taught by Smith et al. since an inner container is simply one type of the contents the outer container is designed to hold.

Regarding the limitations of claim 1, dry ice pellets having a thickness of at least 2 inches are considered to be a result effective variable, wherein the amount and length of time of cooling provided will directly increase as a result of dry ice thickness. Thus, while Pool does not explicitly teach a layer of dry ice pellets having at least a 2 inch thickness one of ordinary skill in the art would have known by increasing the dry ice thickness, a longer cooling time would advantageously result.

Regarding the limitations of claim 19, a foam panel thickness of about 2 inches is considered to be a result effective variable, wherein the cooling capacity will increase with an increasing foam panel thickness. Thus, while Pool does not explicitly teach a foam panel with at least a 2 inch thickness one of ordinary skill in the art would have known by increasing the foam panel thickness, a longer cooling time would advantageously result.

Art Unit: 3744

3. Claims 7 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Lenack (US 6,223,400). Pool and Smith et al. explicitly teach the aspects of the present invention as described above, but do not teach tape having a width of 2 inches, or an inner container being sealed by tape. Lenack explicitly teaches a container being sealed by tape having a width of 2 inches (col. 4, lines 23-27). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine

4. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Belmont et al. (US 4,880,316). Pool and Smith et al. explicitly teach the elements of the present invention as described above, but fail to teach tape being applied perpendicularly across a bag. Belmont et al. explicitly teach tape being applied perpendicularly across a bag (col. 4, lines 22-52). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool and Smith et al. with the perpendicular application of tape as taught by Belmont et al. since applying tape perpendicularly advantageously ensures that the bag is fully closed.

5. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Benedetti et al. (US 6,209,341). Pool and Smith et al. teach the aspects of the present invention as described above, but fail to teach but do not teach the barrier bag having a plurality of vent holes with diameters approximately  $\frac{1}{4}$  inches. Benedetti et al. explicitly teach a

Art Unit: 3744

plurality of vent holes for a container containing dry ice (col. 5, lines 8-12) having a diameter of approximately  $\frac{1}{4}$  inches (col. 5, lines 8-12). It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool and Smith et al. with the vent holes as taught by Benedetti et al. as it is imperative for any container of carbon dioxide to have some form of ventilation so the structure does not explode as gases are emitted.

6. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Allen (US 5,551,563). Pool and Smith et al. teach the aspects of the present invention as described above, but fail to teach the cardboard container having a thickness of approximately 0.255 inches. Allen explicitly teaches a cardboard container having a thickness of about 0.255 inches (col. 6, lines 53-63). It would have been obvious to one of ordinary skill in the art at the time the invention was made combine the temperature controlled shipping apparatus as taught by Pool and Smith et al. with the cardboard thickness as taught by Allen since it is advantageous to have thinner, lighter materials when shipping containers.

7. Claim 15 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of United States Postal Service, "A Customer's Guide to Mailing" (Non Patent Literature). Pool and Smith et al. teach the aspects of the present invention as described above, but fail to teach tape having an H or T pattern on the outer container. "A Customer's Guide to

Art Unit: 3744

Mailing" explicitly teaches tape having an H or T pattern on the outer container (Figure on page 15). It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool and Smith et al. with the taping placement as taught by "A Customer's Guide to Mailing" since the United States Postal Service illustrates this tape placement as optimal tape placement for shipping containers.

8. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Belisle (US 4,823,956). Pool and Smith et al. teach the aspects of the present invention as described above, but fail to teach the foam panels being sealed by tape. Belisle explicitly teaches foam panels being sealed by tape (col. 2, lines 8-16). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool and Smith et al. with the foam panel tape as taught by Belisle since it would be advantageous in any shipping application to hold the contents of a package together to prohibit movement.

9. Claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Thomas (US 4,892,193). Pool and Smith et al. teach the aspects of the present invention as described above, but fail to teach at least one spacer disposed around the inner contents within the foam panels such that a cavity is formed between the inner contents and foam panels and the spacer having a thickness of about 2 inches. Thomas explicitly teaches at least one spacer disposed around the inner contents within the

Art Unit: 3744

foam panels such that a cavity is formed between the inner contents and foam panels (col. 3, lines 12-22) and the spacer having a thickness of about 2 inches (col. 3, lines 23-37). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool and Smith et al. with the spacer cavity as taught by Thomas since spacers are commonly used in shipping applications to advantageously protect the shipping contents.

10. Claims 23, 27 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Henning et al. (US 5,600,958). Pool and Smith et al. explicitly teach all of the elements of the present invention as stated above, but do not teach a plurality of internal containers for individually packing materials therein. Henning et al. explicitly teach a plurality of internal containers for individually packing materials therein (40; Figures 1 and 2); and a plurality of lids for the internal containers (50; Figure 1). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool and Smith et al. with the internal containers as taught by Henning et al. since certain applications may require multiple sealed goods to be shipped simultaneously and it would only require routine skill in the art to multiply the concept of a single container used for single goods.

11. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Henning et al.



(US 5,600,958) and in further view of Allen (US 5,551,563). Pool, Smith et al., and Henning et al. explicitly teach the aspects of the present invention as described above, but fail to teach the cardboard container having a thickness of approximately 0.255 inches. Allen explicitly teaches a cardboard container having a thickness of about 0.255 inches (col. 6, lines 53-63). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool, Smith et al., and Henning et al. with the cardboard thickness as taught by Allen since it is advantageous to have thinner, lighter materials when shipping containers.

12. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Smith et al. (US 6,584,797) in further view of Henning et al. (US 5,600,958) and in further view of Farison et al. (US 6,398,029). Pool, Smith et al. and Henning et al. teach aspects of the present invention, but do not teach a cellulosic cushion disposed in the inner container. Farison et al. explicitly teach a cellulosic cushion for use in shipping containers (Figures 1-6; col. 18, lines 1-18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool, Smith et al. and Henning et al. with the cellulosic cushion as taught by Farison et al. since any increased padding within a shipping container advantageously increases its safety.

13. Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Smith et al. (US 6,584,797) in further view of Henning et al. (US 5,600,958) and in further view of Seki (US 5,396,985). Pool, Smith et al. and

Art Unit: 3744

Henning et al. teach aspects of the present invention, but do not teach item reference tags attached to the internal containers. Seki explicitly teaches item reference tags attached to the internal containers (col. 5, lines 34-38). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool, Smith et al. and Henning et al. with the reference tags as taught by Seki, since reference tags would advantageously increase organization and clarity regarding the shipped items.

14. Claims 28 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Smith et al. (US 6,584,797) in further view of Henning et al. (US 5,600,958) and in further view of Bane, III (US 5,441,170). Pool, Smith et al. and Henning et al. teach aspects of the present invention, but do not teach upper or lower holding pads in the inner container. Bane, III explicitly teaches upper (44) and lower (46) holding pads in an inner container. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool, Smith et al. and Henning et al. with the upper and lower holding pads as taught by Bane, III, since any form of extra padding above or below an object within a shipped container will advantageously increase safety during shipping.

15. Claim 29 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Smith et al. (US 6,584,797) in further view of Henning et al. (US 5,600,958) and in further view of Bessett et al. (US 3,732,976). Pool, Smith et al. and Henning et al. teach aspects of the present invention, but do not teach a recessed

Art Unit: 3744

portion conformal to a periphery of a bottom surface of internal contents. Bessett et al. explicitly teach a recessed portion conformal to a periphery of a bottom surface of internal contents (Figure 2). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool, Smith et al. and Henning et al. with the recessed portion of Bessett et al. since providing a recessed portion in a shipping container advantageously prevents movement of the contents within.

16. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Smith et al. (US 6,584,797) in further view of Henning et al. (US 5,600,958) and in further view of Benedetti et al. (US 6,209,341). Pool, Smith et al. and Henning et al. teach aspects of the present invention, but do not teach the barrier bag having a plurality of vent holes. Benedetti et al. explicitly teach a plurality of vent holes for a container containing dry ice (col. 5, lines 8-12). It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool, Smith et al. and Henning et al. with the vent holes as taught by Benedetti et al. as it is imperative for any container of carbon dioxide to have some form of ventilation so the structure does not explode as gases are emitted.

17. Claims 33-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4, 682,708) in view of Smith et al. (US 6,584,797) in further view of Henning et al. (US 5,600,958) and in further view of Thomas (US 4,892,193). Pool, Smith et al. and Henning et al. teach elements of the present invention, but do not teach at least one

Art Unit: 3744

spacer disposed around the inner container to immobilize the inner container as to form a cavity between the inner and outer containers. Thomas explicitly teaches at least one spacer disposed around the inner contents within the foam panels such that a cavity is formed between the inner contents and foam panels (col. 3, lines 12-22) and the spacer having a thickness of about 2 inches (col. 3, lines 23-37). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool and Smith et al. in view of Henning et al. with the spacer cavity as taught by Thomas since spacers are commonly used in shipping applications to advantageously protect the shipping contents.

Regarding the limitations of claims 37 and 39, dry ice pellets or foam panels consisting of a thickness of at least 2 inches are considered to be a result effective variable, wherein the amount and length of time of cooling provided will directly increase as a result of dry ice thickness. Thus, while Pool does not explicitly teach a layer of dry ice pellets having at least a 2 inch thickness one of ordinary skill in the art would have known by increasing the dry ice thickness, a longer cooling time would advantageously result.

### ***Conclusion***

18. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Rickson et al. (US 6,666,032) teach a thermally insulated container; Yaddgo et al. (US 6,381,981) teach a container for shipping frozen products; and Oppenheim (US 1,713,548) teaches a container.

Art Unit: 3744

19. Any inquiry concerning this communication or earlier communications from the examiner should be directed to B. Clayton McCraw whose telephone number is (571) 272-3665. The examiner can normally be reached on M-F 8:30AM-5:00PM.

20. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

21. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



BCM  
3/27/2006



MARC NORMAN  
PRIMARY EXAMINER